

1. IDENTIFICATION

Product Identifier

Product Name FIRST STREET DEEP FRYER CLEANER

Other means of identification

SDS # 351281
Product Code 85363
UN/ID No UN3266

Recommended use of the chemical and restrictions on use

Recommended Use Fryer cleaner.

Details of the supplier of the safety data sheet

Supplier Address

Carroll Co.
 2900 W. Kingsley Road
 Garland, TX 75041

Emergency Telephone Number

Company Phone Number 1-800-527-5722
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear, dark bluish purple liquid

Physical State Liquid

Odor Bland

Classification

| | |
|-----------------------------------|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a poison center or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a poison center or doctor/physician
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|------------------|-------------|----------|
| Sodium hydroxide | 1310-73-2 | 6.5 |
| Trade Secret | Proprietary | <5 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

| | |
|-----------------------|---|
| General Advice | If exposed or concerned: Get medical advice/attention. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice. |
| Skin Contact | Take off contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. If irritation persists, seek medical attention. Wash contaminated clothing before reuse. |
| Inhalation | Remove to fresh air. Call a physician immediately. |
| Ingestion | Give large quantities of water. Do not induce vomiting. Get medical attention. |

Most important symptoms and effects

| | |
|-----------------|--|
| Symptoms | Contact with the skin can cause severe burns with deep ulcerations. Can cause temporary loss of hair. Repeated contact even with diluted solutions may cause skin damage. In severe cases, burns, corneal damage, and blindness may occur. Ingestion may cause severe burns to mouth, throat or stomach. Mist or vapor inhalation can cause irritation to the nose, throat, and upper respiratory tract. |
|-----------------|--|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

None known.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Flood area with water and then mop up. Use vinegar to neutralize the remaining traces of material. Dispose of in accordance with federal, state and local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Handle in accordance with good industrial hygiene and safety practice. Do not destroy or deface the label.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store containers upright. Store locked up.

Incompatible Materials Strong acids. Aluminum and galvanized metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------------|------------------------------|--|--|
| Sodium hydroxide 1310-73-2 | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³ | IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³ |
| Trade Secret | 2 mg/m ³ | 2 mg/m ³ | - |
| Trade Secret | 15 mg/m ³ | 15 mg/m ³ | - |
| Trade Secret | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S* | IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³ |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Goggles.

Skin and Body Protection Rubber gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-------------------------------------|----------------------------------|-------------------------|----------------|
| Physical State | Liquid | Odor | Bland |
| Appearance | Clear, dark bluish purple liquid | Odor Threshold | Not determined |
| Color | Dark bluish purple | | |
| Property | Values | Remarks • Method | |
| pH | 12.0 | (1% solution) | |
| Melting Point/Freezing Point | Not available | | |
| Boiling Point/Boiling Range | Not determined | | |
| Flash Point | None (will not burn) | | |
| Evaporation Rate | Not determined | | |
| Flammability (Solid, Gas) | n/a-liquid | | |
| Upper Flammability Limits | Not determined | | |
| Lower Flammability Limit | Not determined | | |
| Vapor Pressure | Not available | | |
| Vapor Density | Not determined | | |
| Specific Gravity | 1.09 | (1=Water) | |
| Water Solubility | Completely soluble | | |
| Solubility in other solvents | Not determined | | |
| Partition Coefficient | Not determined | | |
| Auto-ignition Temperature | Not determined | | |
| Decomposition Temperature | Not determined | | |
| Kinematic Viscosity | Not determined | | |
| Dynamic Viscosity | Not determined | | |
| Explosive Properties | Not determined | | |
| Oxidizing Properties | Not determined | | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Attacks aluminum and galvanized metals.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong acids. Aluminum and galvanized metals.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| | |
|---------------------|----------------------------------|
| Eye Contact | Causes severe eye damage. |
| Skin Contact | Causes severe skin burns. |
| Inhalation | Avoid breathing vapors or mists. |
| Ingestion | Do not taste or swallow. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------|----------------------|---|---|
| Sodium hydroxide 1310-73-2 | - | = 1350 mg/kg (Rabbit) | - |
| Trade Secret | = 3184 mg/kg (Rat) | = 15440 mg/kg (Rabbit) | - |
| Trade Secret | = 1378 mg/kg (Rat) | > 2 g/kg (Rabbit) | - |
| Trade Secret | = 600 mg/kg (Rat) | - | - |
| Trade Secret | = 7200 mg/kg (Rat) | - | - |
| Trade Secret | = 3100 mg/kg (Rat) | > 7940 mg/kg (Rabbit) | - |
| Trade Secret | = 470 mg/kg (Rat) | = 2270 mg/kg (Rat) = 220 mg/kg (Rabbit) | = 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h |
| Trade Secret | = 500 mg/kg (Rat) | - | - |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-------------------------------|--|---|----------------------------|--|
| Sodium hydroxide 1310-73-2 | | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | | |
| Trade Secret | | 11619: 96 h Pimephales promelas mg/L LC50 static | | 10: 48 h Daphnia magna mg/L EC50 |
| Trade Secret | | 210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50 | | 216: 96 h Daphnia magna mg/L EC50 |
| Trade Secret | | 1650: 48 h Leuciscus idus mg/L LC50 | | |
| Trade Secret | | 1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50 | | 1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 |
| Trade Secret | 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 10.8: 96 h Oncorhynchus mykiss mg/L LC50 static 3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static | | 5.88: 48 h Daphnia magna mg/L EC50 |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|-------------------------------|-----------------------------------|
| Sodium hydroxide 1310-73-2 | Toxic Corrosive |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT
UN/ID No UN3266
Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)
Hazard Class 8
Packing Group II

IATA
UN/ID No UN3266
Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)
Hazard Class 8
Packing Group II

IMDG
UN/ID No UN3266
Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)
Hazard Class 8
Packing Group II
Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*

US Federal Regulations

CERCLA

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-------------------------------|--------------------------|----------------|---|
| Sodium hydroxide 1310-73-2 | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ |

SARA 313

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|----------------|--------|----------|-------------------------------|
| Trade Secret - | | <5 | 1.0 |
| Trade Secret - | | 0.1 - 1 | 1.0 |

CWA (Clean Water Act)

| Component | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Sodium hydroxide 1310-73-2 (6.5) | 1000 lb | | | X |

US State Regulations

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------|------------|---------------|--------------|
| Sodium hydroxide 1310-73-2 | X | X | X |
| Trade Secret | X | | X |
| Trade Secret | | X | X |
| Trade Secret | X | X | X |
| Trade Secret | X | X | X |

16. OTHER INFORMATION

| | | | | |
|--------------------|---|---------------------------------------|--------------------------------------|---|
| <u>NFPA</u> | Health Hazards Not determined | Flammability Not determined | Instability Not determined | Special Hazards Not determined |
| <u>HMIS</u> | Health Hazards 3 | Flammability 0 | Physical Hazards 2 | Personal Protection B = Goggles, gloves |

Issue Date: 19-Jan-2009
 Revision Date: 06-May-2014
 Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet